

User manual

TWIN BOOST





CONGRATULATIONS

on your purchase of Twin Boost, a new dual-channel boost pedal from T-Rex Engineering.

Twin Boost takes the traditional boost pedal to a whole new level – offering two separate stages of boost, each with a full set of tone controls. Twin Boost makes it easier than ever for you to get the exact sound you need on stage – instantly. Turn the page to see how it works.

BOOST DONE RIGHT

Twin Boost is logical and simple to set up and use on stage.

The pedal features two identical channels of boost – each with its own **ON-OFF** switch.

Hit the left switch and you'll turn on the left channel. Step on the right switch and you'll toggle from the left to the right channel. Whichever channel you're on, hit the switch again to turn the pedal off.

Both channels of your **Twin Boost** feature a **LEVEL, BASS, MIDDLE** and **TREBLE** knob.

LEVEL controls the amount of boost for the channel. The **BASS, MIDDLE,** and **TREBLE** knobs let you shape the tone of your boost for each channel. Try turning up the **MIDDLE** on channel one for single-note rhythm lines, and boosting the **BASS** and **TREBLE** on channel two for a great solo sound.

Specs:

Controls: **LEVEL, BASS, MIDDLE** and **TREBLE**

Connections: **INPUT, OUTPUT,** power supply

Power supply: 9–12V DC or 9V alkaline battery

Power consumption: 20 milli Amperes (mA)



GUARANTEE

T-Rex Engineering offers a two-year guarantee on all our products. In the unlikely event of a malfunction, please send your product to us in Denmark. We will then repair or replace your product and send it back to you – free of charge and usually within a week.

Please note that we cannot replace a product until we have received it here in Denmark.

About T-Rex

Based in Vejle, Denmark, T-Rex Engineering makes classic and signature effects pedals for the world's best musicians. Our approach blends hi-tech innovation with old-world craftsmanship – always in the service of killer tone.

ISSUED IN VEJLE, JANUARY 2008



Steen Meldgaard Laursen
Managing Director



Lars Dahl-Jørgensen
Development Director



Sebastian Jensen
Production Director



T-Rex Engineering ApS, Tel.: +45 75 72 71 81, Fax: +45 75 72 71 98
www.t-rex-engineering.com, mail: info@t-rex-engineering.com